

Revised 07/2005

**APPLICATION MUST BE COMPLETED IN ITS ENTIRETY.**

## **FORM E-A**

MONROE MUNICIPAL UTILITIES AUTHORITY  
372 S. Main Street, Williamstown, New Jersey 08094  
Telephone No: (856) 629-1444  
Fax Number: (856) 875-9469  
Website Address: [www.monroemuanj.com](http://www.monroemuanj.com)

**FORM E - A: APPLICATION FOR CONSTRUCTION OF PUBLIC SEWER AND/OR WATER SYSTEMS INTO EXISTING MMUA SYSTEM FOR ONE OF THE FOLLOWING:**

**RESIDENTIAL**

**COMMERCIAL**

**INDUSTRIAL**

**PURPOSE:** To determine the technical and economic feasibility of existing sewer and/or water to the MMUA system and to verify that the systems will be constructed in compliance with the MMUA Rules and Regulations. **If applicable, Superintendent may direct applicant to submit a Form A Application to Authority.**

**Connection Fees to be paid in accordance with Authority current Rules and Regulations.** The Superintendent or his designee is to be present at the time that the MMUA system is connected into. Arrangements must be made prior to such connection to have the MMUA office make a firm appointment for MMUA Superintendent or his designee to be present.

**APPLICANT:**

Name : \_\_\_\_\_

Address : \_\_\_\_\_

Telephone : \_\_\_\_\_

Fax : \_\_\_\_\_

Email Address : \_\_\_\_\_

**SERVICE LOCATION:** \_\_\_\_\_

Tax Map: Plate: \_\_\_\_\_ Block: \_\_\_\_\_ Lot: \_\_\_\_\_

**REGISTERED PLUMBER:**

Name: \_\_\_\_\_ Phone: \_\_\_\_\_

**ESTIMATED DAILY FLOW:** \_\_\_\_\_ GPD

**SUPPORTING DATA REQUIRED:**

1. Two (2) sets of plans of a registered plumber showing proposed line from the dwelling to the MMUA main. Plans must include elevation.
2. Proof of Road Opening Permit.
3. Commercial and Industrial Applicants see Section 7 for additional supporting data.

**TECHNICAL REQUIREMENTS:**

SEWER - Under no circumstances shall any new fixture be installed in a building lower than the front curb elevation or street centerline elevation, whichever is higher, unless special precautions are incorporated into the new fixture installation to prevent surcharging of the new fixture from the sanitary sewer main from high flow or blockage.

Lateral from the house to the main shall be either cast iron or PVC pipe. The connection to the main shall be through an approved wye or saddle. An MMUA Representative shall be present at the time of the tapping into the MMUA main.

A vertical inspection riser shall be installed in accordance with the attached Detail Sheet.

WATER - Lateral from house to main shall be 1" 'K' copper with a curb stop and box one foot inside the curb. Valves shall be installed on each side of the Meter Yoke. Yoke may be picked up at the MMUA office and shall be installed by the plumber. MMUA shall install a meter with a remote readout.

\_\_\_\_\_  
PRINT OR TYPE NAME

\_\_\_\_\_  
SIGNATURE OF APPLICANT

\_\_\_\_\_  
\_\_\_\_\_  
DATE